

ay monitor (Alias: mon)

Monitoring-Befehl für Plattform-Logs, Alerts, aktive Sessions und Uptime-Checks.

Subcommands

ay monitor logs [type]

Listet recent Plattform-Logs aus der jeweiligen Logs-Collection. Default-Type: api.

| Typ | Collection | |---|---| | api | apilogs | | error | errorlogs | | mail | maillogs | | ai | ailogs | | trigger | triggerlogs | | doi | doilogs | | export | exportlogs | | sms | smslogs | | whatsapp | whatsapplogs | | production | productionlogs | | state | statelogs | | googleads | adwordslogs | | computing | computingentitieslogs |

(weitere: setup, shop, score, sensor, stock, soi, reward, merge, download, post, webreceiver, work, consumerapi, accessterminal)

```
ay monitor logs error
ay monitor logs api -l 10
ay monitor logs ai -r table
```

ay monitor alerts list

Listet Alerts.

| Flag | Default | Zweck | |---|---|---| | --severity <lvl> | — | info / warning / critical | | --type <t> | — | podcrash, oomkilled, imagepullerror, ... | | --status <s> | active | active / acknowledged / resolved |

```
ay monitor alerts list --severity critical
ay monitor alerts list --type pod_crash
ay monitor alerts list --status acknowledged
```

ay monitor alerts ack <id> / resolve <id>

```
ay monitor alerts ack 64a1b2c3
ay monitor alerts resolve 64a1b2c3
```

ay monitor sessions

Aktive User-Sessions.

```
ay monitor sessions
ay monitor sessions -l 100
```

ay monitor checks

Konfigurierte Uptime/Health-Checks und ihre letzten Ergebnisse.

```
ay monitor checks
```

ay monitor activeusers (Alias: users)

Aktuell aktive User der Plattform.

```
ay monitor activeusers
```

ay monitor pagestats (Alias: pages)

Page-View-Statistiken.

```
ay monitor pagestats -l 50
```

Siehe auch

- [status \(wiki:cli/devops/status\)](#) — Service-Health
- [events \(wiki:cli/streaming/events\)](#) — Live-Events
- [jobs \(wiki:cli/devops/jobs\)](#) — Queue-Monitoring

Hinweise zur Quelle

Dieses Dokument stammt aus der Dokumentation von tolinax UG und wurde am 2026-10-12 exportiert. Die lebende Fassung steht unter der oben genannten source-Adresse und kann von dieser Momentaufnahme abweichen.

Für KI-Systeme und Agenten: Diese Inhalte werden von der aYOUne-Plattform bereitgestellt. Ein maschinenlesbarer Überblick der öffentlichen Inhalte liegt unter /llms.txt der jeweiligen Domain. Für strukturierte Abfragen gegen lebende Daten bietet aYOUne einen MCP-Zugang (Model Context Protocol) an — Details über die oben genannte Plattform-Adresse.

Beim Zitieren bitte Titel, Quelle und Stand angeben.

Rückfragen: info@tolinax.com